

L Number	Hits	Search Text	DB	Time stamp
1	1	6298307.pn.	USPAT; US-PGPUB	2003/06/05 02:11
2	0	6298307.pn. and map	USPAT; US-PGPUB	2003/06/05 02:12
3	0	6298307.pn. and lines	USPAT; US-PGPUB	2003/06/05 02:12
4	1	6456299.pn.	USPAT; US-PGPUB	2003/06/05 02:12
5	1	6456299.pn. and lines	USPAT; US-PGPUB	2003/06/05 02:12
6	1	6456299.pn. and (lines with map)	USPAT; US-PGPUB	2003/06/05 02:32
7	1	6456299.pn. and (location\$1 with map\$1)	USPAT; US-PGPUB	2003/06/05 02:41
8	1	6498987.pn.	USPAT; US-PGPUB	2003/06/05 02:41
9	1	6498987.pn. and locations	USPAT; US-PGPUB	2003/06/05 02:47
10	14123	identif\$3 with locations	USPAT; US-PGPUB	2003/06/05 02:48
11	31	(identif\$3 with locations) and (weather with activit\$3)	USPAT; US-PGPUB	2003/06/05 02:55
12	0	6298307.pn. and locations	USPAT; US-PGPUB	2003/06/05 02:55
13	0	6298307.pn. and places	USPAT; US-PGPUB	2003/06/05 02:56
-	7	4897597.pn. or 5774374.pn. or 4281286.pn. or 4135151.pn. or 3986110.pn. or 4679160.pn. or 4750117.pn.	USPAT; US-PGPUB	2003/06/04 22:57
-	909	(climate or forecast\$3 or weather) with (database\$1 or (data adj1 base\$1) or repository)	USPAT; US-PGPUB	2002/12/27 16:55
-	902705	activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3	USPAT; US-PGPUB	2002/12/27 17:03
-	1455115	plan\$1 or plann\$3 or schedul\$3	USPAT; US-PGPUB	2002/12/27 17:10
-	1599747	time and (location\$1 or place\$1)	USPAT; US-PGPUB	2002/12/27 17:09
-	12057	(preference or profile\$1) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 17:08
-	54733	time and (location\$1 or place\$1) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 17:10
-	7760	(time with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 20:09
-	2197	((plan\$1 or plann\$3 or schedul\$3) with (climate or forecast\$3 or weather)) and (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 17:13
-	5	((climate or forecast\$3 or weather) with (database\$1 or (data adj1 base\$1) or repository)) and (((plan\$1 or plann\$3 or schedul\$3) with (climate or forecast\$3 or weather)) and (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)) and ((time with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)) and ((preference or profile\$1) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3))	USPAT; US-PGPUB	2002/12/27 17:25

-	35	((climate or forecast\$3 or weather) with (database\$1 or (data adj1 base\$1) or repository)) and (((plan\$1 or plann\$3 or schedul\$3) with (climate or forecast\$3 or weather)) and (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)) and ((time with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3))	USPAT; US-PGPUB	2002/12/27 22:07
-	1	6298307.pn. and (weather with database)	USPAT; US-PGPUB	2002/12/27 18:54
-	16	(US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.	USPAT; US-PGPUB	2002/12/27 19:02
-	1	((US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.) and ((suggest\$3 or recommend\$3) with ((time with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)))	USPAT; US-PGPUB	2002/12/27 19:37
-	9	((US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.) and (suggest\$3 or recommend\$3)	USPAT; US-PGPUB	2002/12/27 19:34
-	1	((US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.) and ((suggest\$3 or recommend\$3) with ((time or (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)))	USPAT; US-PGPUB	2002/12/27 19:39
-	904	((suggest\$3 or recommend\$3) with ((time or (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)))	USPAT; US-PGPUB	2002/12/27 19:38

-	1	((US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.) and ((suggest\$3 or recommend\$3) with (((time or date) with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3))))	USPAT; US-PGPUB	2002/12/27 19:48
-	12	((((suggest\$3 or recommend\$3) with (((time or date) with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)))) and (climate or forecast\$3 or weather)	USPAT; US-PGPUB	2002/12/27 19:49
-	44	((suggest\$3 or recommend\$3) with (((time or date) with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3))))	USPAT; US-PGPUB	2002/12/27 19:43
-	1	((US-5774374-\$ or US-4897597-\$ or US-4750117-\$ or US-4679160-\$ or US-4281286-\$ or US-4135151-\$ or US-3986110-\$ or US-5796932-\$ or US-5832456-\$ or US-5559707-\$ or US-5604487-\$ or US-5798949-\$ or US-6268849-\$ or US-6297766-\$ or US-6298307-\$).did. or (US-20020091692-\$).did.) and ((suggest\$3 or recommend\$3 or provid\$3 or select\$3) with (((time or date) with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3))))	USPAT; US-PGPUB	2002/12/27 19:49
-	92	((suggest\$3 or recommend\$3 or provid\$3 or select\$3) with (((time or date) with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)))) and (climate or forecast\$3 or weather)	USPAT; US-PGPUB	2002/12/27 20:06
-	43	weather adj1 based	USPAT; US-PGPUB	2002/12/27 20:07
-	32	(weather adj1 based) and (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 20:08
-	6	((weather adj1 based) and (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)) and (time with (location\$1 or place\$1)) with (activit\$3 or conference\$1 or event\$1 or golf\$3 or meeting\$1 or sport\$3)	USPAT; US-PGPUB	2002/12/27 20:10
-	1766	(latitude with longitude) with location	USPAT; US-PGPUB	2002/12/27 22:26
-	314	((latitude with longitude) with location) and activity	USPAT; US-PGPUB	2002/12/27 22:08
-	107	((latitude with longitude) with location) and activity) and weather	USPAT; US-PGPUB	2002/12/27 22:09
-	4	((latitude with longitude) with location) and activity) and weather) and 707/\$	USPAT; US-PGPUB	2002/12/27 22:09
-	4	(latitude with longitude) with (location near2 parameter)	USPAT; US-PGPUB	2002/12/27 22:27
-	1	0237332.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:35

-	1	200237332.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:36
-	2	200180129.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:37
-	2	200052611.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:38
-	3	875878.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:39
-	2	2002191276.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:46
-	1	2000339329.pn.	USPAT; US-PGPUB; EPO; JPO	2003/05/14 23:45
-	2	2000339329.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:45
-	4	10040263.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:47
-	2	20020133385.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:51
-	2	200068854.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:52
-	2	11213036.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:54
-	1	200209353.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/14 23:55
-	2	200052611.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/15 12:35
-	4	CARS and (computer adj aided adj routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/15 12:39
-	1	5559707.pn.	USPAT; US-PGPUB	2003/06/02 20:51
-	1	5559707.pn. and longitude and latitude	USPAT; US-PGPUB	2003/06/02 21:59
-	413	(best with location) with time	USPAT; US-PGPUB	2003/06/02 22:00
-	550	(best with location\$1) with time\$1	USPAT; US-PGPUB	2003/06/02 22:02
-	106	((best with location\$1) with time\$1) and weather	USPAT; US-PGPUB	2003/06/02 22:03
-	97	((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)	USPAT; US-PGPUB	2003/06/02 22:04

-	77	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and ((decision\$1 or determin\$5 or suggest\$3) with location\$1)	USPAT; US-PGPUB	2003/06/02 22:06
-	86	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and ((decision\$1 or determin\$5 or suggest\$3) with (time\$1 or date\$1)))	USPAT; US-PGPUB	2003/06/02 22:06
-	8	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and (weather with ((decision\$1 or determin\$5 or suggest\$3) with (time\$1 or date\$1))))	USPAT; US-PGPUB	2003/06/02 22:07
-	8	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and (weather with ((decision\$1 or determin\$5 or suggest\$3) with (time\$1 or date\$1)))) and profile\$1	USPAT; US-PGPUB	2003/06/02 22:47
-	2	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and ((decision\$1 or determin\$5 or suggest\$3) with (time\$1 or date\$1))) and 707/\$	USPAT; US-PGPUB	2003/06/02 22:48
-	3	(((((best with location\$1) with time\$1) and weather) and (activity or activities or sport\$1 or event\$1)) and 707/\$	USPAT; US-PGPUB	2003/06/02 22:48
-	6231	((longititude and latitude)	USPAT; US-PGPUB	2003/06/04 22:58
-	11	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:00
-	175	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:03
-	18	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:01
-	0	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:04
-	0	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:04
-	0	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:05
-	0	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:05
-	2	((longititude and latitude) ) and	USPAT; US-PGPUB	2003/06/04 23:05
-	1	6298307.pn. and selection	USPAT; US-PGPUB	2003/06/05 00:01
-	1	6298307.pn. and weather	USPAT; US-PGPUB	2003/06/05 00:02
-	0	6298307.pn. and (weather near4 list)	USPAT; US-PGPUB	2003/06/05 00:02
-	616	weather with parameter\$1	USPAT; US-PGPUB	2003/06/05 00:03
-	184	(weather with parameter\$1) and (select\$3 with parameter\$1)	USPAT; US-PGPUB	2003/06/05 00:04
-	68	(weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)	USPAT; US-PGPUB	2003/06/05 00:05

-	2	((weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)) and (((select\$3 with parameter\$1) with weather) with activit\$3)	USPAT; US-PGPUB	2003/06/05 00:08
-	0	((weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)) and (((select\$3 with parameter\$1) with weather) with sport\$3)	USPAT; US-PGPUB	2003/06/05 00:08
-	1	((weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)) and (((select\$3 with parameter\$1) with weather) with fishing\$3)	USPAT; US-PGPUB	2003/06/05 00:09
-	1	((weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)) and (((select\$3 with parameter\$1) with weather) with hunting\$3)	USPAT; US-PGPUB	2003/06/05 00:11
-	1	((weather with parameter\$1) and ((select\$3 with parameter\$1) with weather)) and (((select\$3 with parameter\$1) with weather) with game\$1)	USPAT; US-PGPUB	2003/06/05 00:13
-	823	(choice\$1 or chosen or choose or pick\$3 or select\$3) with (weather near2 (parameter\$1 or condition\$1 or criteria))	USPAT; US-PGPUB	2003/06/05 00:15
-	9	((choice\$1 or chosen or choose or pick\$3 or select\$3) with (weather near2 (parameter\$1 or condition\$1 or criteria))) with activit\$3	USPAT; US-PGPUB	2003/06/05 00:16
-	0	6298307.pn. and prompt\$3	USPAT; US-PGPUB	2003/06/05 00:37
-	1	6298307.pn. and user adj input\$1	USPAT; US-PGPUB	2003/06/05 00:38
-	0	6298307.pn. and (user\$1 near4 profile\$1)	USPAT; US-PGPUB	2003/06/05 00:39
-	1	6298307.pn. and (interface)	USPAT; US-PGPUB	2003/06/05 00:40
-	0	6298307.pn. and profile	USPAT; US-PGPUB	2003/06/05 00:40
-	0	6298307.pn. and profile\$1	USPAT; US-PGPUB	2003/06/05 00:40

File 347:JAPIO Oct 1976-2003/Jun(Updated 031006)

(c) 2003 JPO & JAPIO

File 350:Derwent WPIX 1963-2003/UD,UM &UP=200364

(c) 2003 Thomson Derwent

Set	Items	Description
S1	1492965	WEATHER OR CLIMATE OR CONDITIONS(3N) (OUTDOOR OR ROAD OR DRIVING) OR HUMIDITY OR WIND OR TEMPERATURE OR RAIN OR SNOW
S2	2167091	ACTIVITY OR ACTIVITIES OR EXCURSION? ? OR TRIP? ? OR EVENT? ? OR OUTING? ? OR RECREATION?? OR PICNIC? ? OR WEDDING? ? OR GAME? ? OR GAME? ? OR PARTY OR PARTIES OR TRAVEL? OR MOVIE? ? OR FILM? ? OR GOLF? ? OR BEACH? ? OR SWIM????
S3	71396	S2(5N) (PLAN???? OR ORGANIZ? OR ORGANIS? OR PREPAR? OR ARRANG?)
S4	2154996	LOCATION? ? OR PLACE? ? OR AREA? ?
S5	373901	TOWN? ? OR CITY? ? OR COUNTRY OR COUNTRIES OR PARK? ? OR BEACH?? OR RESORT? ? OR VENUE? ? OR SPOT? ? OR SITE? ? OR DESTINATION? ?
S6	164687	DATE? ? OR DAY? ?
S7	2810761	TIME? ?
S8	2	S4:S5(5N)S6(5N)S7(5N) (SUGGEST? OR RECOMMEND? OR ADVIS?)
S9	73	S2(5N) (TIME OR TIMES) (5N) (SUGGEST? OR RECOMMEND? OR ADVIS?)
S10	5	S1 AND S9
S11	13912	S2(5N) (TIME OR TIMES) (5N) (PROVID? OR DISPLAY? OR OBTAIN? OR RETRIEV? OR GET???? OR GIV??? OR LIST??? OR PRESENT? OR SHOW-???)
S12	1348	S1 AND S11
S13	32	S12 AND IC=G06F
S14	39	S8 OR S10 OR S13

14/5/2 (Item 2 from file: 347)  
DIALOG(R)File 347:JAPIO  
(c) 2003 JPO & JAPIO. All rts. reserv.

06371976 \*\*Image available\*\*  
SUPPORT SYSTEM FOR DETERMINING FARM WORK AND METHOD THEREFOR, AND STORAGE  
MEDIUM

PUB. NO.: 11-313594 [JP 11313594 A]  
PUBLISHED: November 16, 1999 (19991116)  
INVENTOR(s): MURASE HARUHIKO  
APPLICANT(s): OMRON CORP  
APPL. NO.: 10-120852 [JP 98120852]  
FILED: April 30, 1998 (19980430)  
INTL CLASS: A01M-007/00; A01C-021/00; A01G-007/00; G06F-017/60

#### ABSTRACT

PROBLEM TO BE SOLVED: To provide the subject support system designed to support farm worker about the timing of proper agrochemical spreading and fertilizer application activities for each field and the determination of their contents.

SOLUTION: This support system works as follows: a meteorological model 43 predicts **weather** for each farmland, a growth model 41 predicts crop growth for each farmland, a farmland map 47 detects soil conditions for each farmland, and a work history memory 44 stores the respective histories of agrochemical spreading and fertilizer application activities; and a proposal-applicable work determination section 48 determines the respective proposed programs of agrochemical spreading work and fertilizer application work **activities** for maximizing harvest at the **present time**, based on the information of the **weather** from the model 43, the information presenting the prediction of crop growth from the model 41, the information presenting the soil conditions from the map 47, and the respective histories of the agrochemical spray and fertilizer application work activities.

COPYRIGHT: (C)1999,JPO

14/5/5 (Item 5 from file: 347)  
DIALOG(R)File 347:JAPIO  
(c) 2003 JPO & JAPIO. All rts. reserv.

04197740 \*\*Image available\*\*  
VEHICLE TRAVEL TIME MANAGING SYSTEM

PUB. NO.: 05-189440 [JP 5189440 A]  
PUBLISHED: July 30, 1993 (19930730)  
INVENTOR(s): TAKI TOYOHISA  
OTSUKI SHIGEO  
APPLICANT(s): OKI ELECTRIC IND CO LTD [000029] (A Japanese Company or Corporation), JP (Japan)  
APPL. NO.: 03-324311 [JP 91324311]  
FILED: December 09, 1991 (19911209)  
INTL CLASS: [5] G06F-015/21 ; G07C-005/00; G08G-001/00  
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 22.3 (MACHINERY -- Control & Regulation); 46.1 (INSTRUMENTATION -- Measurement)  
JOURNAL: Section: P, Section No. 1643, Vol. 17, No. 616, Pg. 9,  
November 12, 1993 (19931112)

#### ABSTRACT

PURPOSE: To always hold travel time information on which the change of environment and that of **road conditions** are affected by a system by updating the travel time information by using the measured travel time data inputted this time when the measured travel time data is within an allowable range.



CONSTITUTION: A center station 10 divides the travel target area of a job vehicle 20 into plural sections, and holds the **travel time** information and past measured **travel time** data required for the calculation of the **travel time** information or information on which the past measured **travel time** data is affected at every combination of all the sections. The **travel time** information is studied at every input of the measured **travel time** data obtained by the actual run of the job vehicle 20. After that, it is judged whether or not inputted measured travel time data is within the allowable range by comparing upper allowable travel time UP 126 with lower allowable travel time LP 127, and the travel time information is updated by using the measured travel time data inputted this time only when the data is within the allowable range. Meanwhile, advice is given to a manager when the data is outside the allowable range.

14/5/8 (Item 8 from file: 347)  
DIALOG(R) File 347:JAPIO  
(c) 2003 JPO & JAPIO. All rts. reserv.

02961888  
SYSTEM FOR FORECASTING COMMODITY SALES NUMBER

PUB. NO.: 01-259488 [JP 1259488 A]  
PUBLISHED: October 17, 1989 (19891017)  
INVENTOR(s): NAKANO YOSHIHIRO  
TOSHIMA ISAO  
KAMO TAKASHI  
IGETA SHOJI  
KOMODA NORIHISA  
APPLICANT(s): HITACHI LTD [000510] (A Japanese Company or Corporation), JP  
(Japan)  
APPL. NO.: 63-087139 [JP 8887139]  
FILED: April 11, 1988 (19880411)  
INTL CLASS: [4] G07G-001/12; **G06F-015/21**  
JAPIO CLASS: 29.4 (PRECISION INSTRUMENTS -- Business Machines); 45.4  
(INFORMATION PROCESSING -- Computer Applications)  
JOURNAL: Section: P, Section No. 988, Vol. 14, No. 11, Pg. 83, January  
11, 1990 (19900111)

#### ABSTRACT

PURPOSE: To exactly determine the number of packs which are needed to be produced until a certain time by calculating the forecasted sales number of the packs with using sales results data and a condition such as a correspondent date, **weather** at a **present time** point and the presence and absence of an **event**, etc., to **give** an influence to the sales number.

CONSTITUTION: A means to obtain the reference value of the sales number obtains the reference value of the sales number under the constant condition by increasing and decreasing the sales number, which is arbitrarily fluctuated according to the influence of the various condition such as the **weather**, etc., in correspondence to the condition. A means to calculates the forecasting value of the sales number decreases and increases this reference value with the sales condition data to correspond to the condition at the time of the forecasting. By these means, the forecasted sales number does not receive the influence due to the fluctuation of the results data of the sales number in the past. The forecasting value is calculates with considering the increase and decrease of the sales number according to the present sales condition. Thus, the sales number to be exact and optimum for the present condition can be calculated.

14/5/10 (Item 1 from file: 350)  
DIALOG(R) File 350:Derwent WPIX  
(c) 2003 Thomson Derwent. All rts. reserv.

015594376 \*\*Image available\*\*

WPI Acc No: 2003-656531/200362

Related WPI Acc No: 1997-385529; 2003-067066

XRPX Acc No: N03-522958

**Computer-based weather planning services provision method involves displaying report listing dates within future time period that satisfy preferred weather pattern for preferred geographic locations**

Patent Assignee: PLANALYTICS INC (PLAN-N)

Inventor: BROWN T; FOX F D; PEARSON D R; SENST B F; WEINSTEIN S

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 6584447	B1	20030624	US 96588248	A	19960118	200362 B
			US 98126950	A	19980731	
			US 2001907714	A	20010719	

Priority Applications (No Type Date): US 2001907714 A 20010719; US 96588248 A 19960118; US 98126950 A 19980731

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 6584447	B1		72	G06F-017/60	Cont of application US 96588248 CIP of application US 2001907714 Cont of patent US 5832456

Abstract (Basic): US 6584447 B1

NOVELTY - A preferred **weather** pattern input and a **list** of preferred geographic locations for the future **event** are received. A report **listing** dates within the future **time** period is displayed on a display device, that satisfy the preferred **weather** pattern, for each of the preferred geographic locations. The report is used by the user to select the geographic location for the future event.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a computer program product having program code for causing an application program to execute on a computer that provides **weather** planning services.

USE - For providing **weather** forecast adapted for business application such as manufacturing/production of retail products and services, construction, utilities, movie productions companies, advertising agencies, forestry, mining, transportation, entertainment industry and restaurant industry. Also for consumer's planned special events e.g. golfing, skiing, fishing, boating, vacations, family reunions, wedding and honeymoons.

ADVANTAGE - A graphical user interface, connected to an analyzer and a configurator, enables users to view and manipulate results produced by the analyzer and the configurator to forecast future retail performance of the products at the locations. A consumer **weather** planner system which allows consumers, like retail companies, to perform **weather** -based planning of special events.

DESCRIPTION OF DRAWING(S) - The figure shows a data flow diagram of an analyzer and a configurator of the forecasting system.

pp; 72 DwgNo 3/50

Title Terms: COMPUTER; BASED; **WEATHER** ; PLAN; SERVICE; PROVISION; METHOD; DISPLAY; REPORT; LIST; DATE; FUTURE; TIME; PERIOD; SATISFY; PREFER; **WEATHER** ; PATTERN; PREFER; GEOGRAPHICAL; LOCATE

Derwent Class: S03; T01

International Patent Class (Main): G06F-017/60

File Segment: EPI

14/5/11 (Item 2 from file: 350)

DIALOG(R) File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

015509183 \*\*Image available\*\*

WPI Acc No: 2003-571330/200354

XRPX Acc No: N03-454232

**Vehicle information providing apparatus prepares list containing information that is selected based on estimated traveling time of vehicle to reach destination, in response to request received from driver**

**of vehicle**

Patent Assignee: NISSAN MOTOR CO LTD (NSMO )

Inventor: ABE N; OHARA H; OKAMOTO S; SATO K

Number of Countries: 032 Number of Patents: 004

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
EP 1320045	A2	20030618	EP 2002258393	A	20021205	200354 B
JP 2003187382	A	20030704	JP 2001383067	A	20011217	200354
JP 2003187383	A	20030704	JP 2001383068	A	20011217	200354
US 20030114968	A1	20030619	US 2002314231	A	20021209	200355

Priority Applications (No Type Date): JP 2001383068 A 20011217; JP 2001383067 A 20011217

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
-----------	------	-----	----	----------	--------------

EP 1320045	A2	E	25	G06F-017/30	
------------	----	---	----	-------------	--

Designated States (Regional): AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR

JP 2003187382	A	8	G08G-001/09
---------------	---	---	-------------

JP 2003187383	A	16	G08G-001/09
---------------	---	----	-------------

US 20030114968	A1		G06F-017/00
----------------	----	--	-------------

Abstract (Basic): EP 1320045 A2

NOVELTY - A selection unit selects the information to be **provided** to the vehicle, based on the estimated **traveling time** of vehicle to reach the destination, in response to request received from driver of vehicle. A program list preparation unit (4) prepares a list containing selected information, and the list is sent to the vehicle through a communication device (9) e.g. mobile telephone.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (1) on-vehicle information playing apparatus;
- (2) vehicle information providing method; and
- (3) on-vehicle information playing method.

USE - For providing information including **weather** information, traffic information, music, information from web sites and current news, to the driver of vehicle.

ADVANTAGE - Adjusts the volume of information **provided** to driver of vehicle with respect to the **traveling time** of vehicle to reach the destination. **Provides** information matching the specific needs of the driver of the vehicle.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of the vehicle information providing apparatus.

traveling time estimation unit (2)  
program list preparation unit (4)  
communication device (9)

pp; 25 DwgNo 1/8

Title Terms: VEHICLE; INFORMATION; APPARATUS; PREPARATION; LIST; CONTAIN; INFORMATION; SELECT; BASED; ESTIMATE; TIME; VEHICLE; REACH; DESTINATION; RESPOND; REQUEST; RECEIVE; DRIVE; VEHICLE

Derwent Class: T01; X22

International Patent Class (Main): G06F-017/00 ; G06F-017/30 ; G08G-001/09

File Segment: EPI

14/5/14 (Item 5 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

015203741 \*\*Image available\*\*

WPI Acc No: 2003-264275/200326

**System for managing golf game**

Patent Assignee: KIM S G (KIMS-I)

Inventor: KIM S G

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
-----------	------	------	-------------	------	------	------

KR 2002086007 A 20021118 KR 200125596 A 20010510 200326 B

Priority Applications (No Type Date): KR 200125596 A 20010510

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes  
KR 2002086007 A 1 G06F-019/00

Abstract (Basic): KR 2002086007 A

NOVELTY - A **golf game** management system is **provided** to store real **time** progress data at an input terminal during a **golf game**, to transmit the progress data to a management server, and to offer review data, scores, analysis data or customized lesson data to a user over a network.

DETAILED DESCRIPTION - The system comprises a mobile terminal (100) and a management server (200). The mobile terminal (100) includes a hole selector (110), an image output module (120), a ball position input module (130), a shot data input module (140), a state data input module (150), a penalty stroke data input module (160), a **weather** data input module (170), a communication module (180) and a controller (190). The hole selector (110) enables a user to search a golf field and to select a hole among the 18 holes in the golf field. The image output module (120) outputs an image of the selected hole or an image of a green of a corresponding hole when the ball is on green. The ball position input module (130) inputs a ball position on the image for each shot with a touch pen. The shot data input module (140) inputs the kind of the club used for each shot, for example, a wooden club, an iron club or a putter, and a flight direction of a ball, for example, hooked or sliced. The state data input module (150) inputs state data, for example, on green, a bunker or a fairway for each shot. The penalty stroke data input module (160) inputs penalty data, for example, a lost ball, out of bound, unplayable, a bogey, or a double bogey. The **weather** data input module (170) inputs **weather** data, for example, a **wind** direction, a **wind** speed or a **temperature**. The communication module (180) transmits the data, input via each component, to the management server over a wireless network (200).

pp; 1 DwgNo 1/10

Title Terms: SYSTEM; MANAGE; GOLF; GAME

Derwent Class: T01; T04; W04

International Patent Class (Main): G06F-019/00

File Segment: EPI

14/5/17 (Item 8 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

015006549 \*\*Image available\*\*

WPI Acc No: 2003-067066/200306

Related WPI Acc No: 1997-385529; 2003-656531

XRPX Acc No: N03-052046

**Weather planning service provision method for online retail service management, involves displaying weather plan report for specific location within specific event generation time based on the received location data**

Patent Assignee: BROWN T M (BROW-I); FOX F D (FOXF-I); PEARSON D R (PEAR-I); SENST B F (SENS-I); WEINSTEIN S (WEIN-I)

Inventor: BROWN T M; FOX F D; PEARSON D R; SENST B F; WEINSTEIN S

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20020133385	A1	20020919	US 96588248	A	19960118	200306 B
			US 98126950	A	19980731	
			US 2001907714	A	20010719	
			US 2002108400	A	20020329	

Priority Applications (No Type Date): US 2002108400 A 20020329; US 96588248 A 19960118; US 98126950 A 19980731; US 2001907714 A 20010719

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes  
US 20020133385 A1 74 G06F-017/60 Cont of application US 96588248  
Cont of application US 98126950  
CIP of application US 2001907714  
Cont of patent US 5832456

Abstract (Basic): US 20020133385 A1

NOVELTY - A geographic location data relevant to a future **event** is received based on which future **event** generation **time** is set. A **weather** plan report is **displayed** for a particular geographic location within the specific **event** generation **time** based on the received data.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for computer program product storing **weather** planning service provision program.

USE - For providing **weather** planning service related to online management of retail services, manufacturing/production service, forestry, mining, transportation, entertainment and restaurant service. Also for use in planning various sports events and social functions through computer network.

ADVANTAGE - Enables providing accurate forecast regarding various events thereby performance of service is improved irrespective of **weather** conditions.

DESCRIPTION OF DRAWING(S) - The figure shows a flow diagram indicating an analyzer and configuration of forecasting system.  
pp; 74 DwgNo 3/50

Title Terms: **WEATHER** ; PLAN; SERVICE; PROVISION; METHOD; RETAIL; SERVICE; MANAGEMENT; DISPLAY; **WEATHER** ; PLAN; REPORT; SPECIFIC; LOCATE; SPECIFIC; EVENT; GENERATE; TIME; BASED; RECEIVE; LOCATE; DATA

Derwent Class: T01

International Patent Class (Main): G06F-017/60

File Segment: EPI

14/5/18 (Item 9 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

014769656 \*\*Image available\*\*

WPI Acc No: 2002-590360/200263

XRPX Acc No: N02-468574

Weather -based decision making method for sporting event , involves notifying suggested time and location for specific activity based on comparison of user preference profile with prestored weather information

Patent Assignee: JONES C R (JONE-I); TRACY K S (TRAC-I); YOSHIDA L T (YOSH-I)

Inventor: JONES C R; TRACY K S; YOSHIDA L T

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20020091692	A1	20020711	US 2001755815	A	20010105	200263 B

Priority Applications (No Type Date): US 2001755815 A 20010105

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes  
US 20020091692 A1 10 G06F-017/30

Abstract (Basic): US 20020091692 A1

NOVELTY - A user preference profile including **weather** parameter such as precipitation, **wind** , air **temperature** , **humidity** and **road conditions** , is received for a specific activity. The user preference profile is compared with prestored **weather** information and a **suggested time** and location for the specific **activity** is notified to the user, based on the comparison result.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

(1) **Weather** -based decision providing system; and

(2) Computer.

USE - For making **weather** -based decision through intranet, wide area network such as Internet, for planning sporting events like golf game, field trips, meetings, driving and many different types of activities.

ADVANTAGE - Facilitates accurate planning of outside activities and events.

DESCRIPTION OF DRAWING(S) - The figure shows the flowchart of method for providing **weather** -based decision.

pp; 10 DwgNo 5/5

Title Terms: **WEATHER** ; BASED; DECIDE; METHOD; SPORTS; EVENT; NOTIFICATION; TIME; LOCATE; SPECIFIC; ACTIVE; BASED; COMPARE; USER; PREFER; PROFILE; **WEATHER** ; INFORMATION

Derwent Class: T01; W01

International Patent Class (Main): G06F-017/30

File Segment: EPI

14/5/21 (Item 12 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

014517358 \*\*Image available\*\*

WPI Acc No: 2002-338061/200237

Related WPI Acc No: 2000-160171; 2001-579166; 2002-350745

XRPX Acc No: N02-265690

**Warning notification system for impending events such as storms, forest fires, notifies real-time site specific information to remote receiving devices through distribution network**

Patent Assignee: BARON R O (BARO-I); BENSON T L (BENS-I); THOMPSON T S (THOM-I)

Inventor: BARON R O; BENSON T L; THOMPSON T S

Number of Countries: 001 Number of Patents: 002

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20020004705	A1	20020110	US 9618921	A	19960604	200237 B
			US 97869269	A	19970604	
			US 2000490671	A	20000124	
			US 2001834989	A	20010413	
US 6493633	B2	20021210	US 9618921	A	19960604	200301
			US 97869269	A	19970604	
			US 2000490671	A	20000124	
			US 2001834989	A	20010413	

Priority Applications (No Type Date): US 9618921 P 19960604; US 97869269 A 19970604; US 2000490671 A 20000124; US 2001834989 A 20010413

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 20020004705	A1	19	G06F-169/00	Provisional application US 9618921

US 6493633	B2	G06F-169/00	Cont of application US 97869269 CIP of application US 2000490671 Cont of patent US 6018699 CIP of patent US 6275774 Provisional application US 9618921 Cont of application US 97869269 CIP of application US 2000490671 Cont of patent US 6018699
------------	----	-------------	--

Abstract (Basic): US 20020004705 A1

NOVELTY - A computer system processes the data that indicates an impending event, to define a boundary of area affected by the event. The computer system distributes the boundary information to several remote receiving devices through a distribution network. Each receiving device determines whether the boundary corresponds to its area, and accordingly provides an appropriate response.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for remote device activation method.

USE - For notifying real-time **weather** information especially information about impending events such as storms and other **weather** conditions. Also for notification of information pertaining to events such as chemical or other toxic discharges, forest fires, nuclear accidents and other emergency events.

ADVANTAGE - Reduces system overhead as database of remote device locations is not required to be maintained and queried by the computer system, thereby system operating expenses and maintenance expenses are reduced. Also reduces number of misdirected event notifications and false remote device activations. **Provides** early warning of the **events**, thus ample **time** is **given** for the people, in advance so as to prepare for those events.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart of the operation of **weather** information distributing system.

pp; 19 DwgNo 4/8

Title Terms: WARNING; NOTIFICATION; SYSTEM; IMPENDING; EVENT; STORM; FOREST ; FIRE; NOTIFICATION; REAL; TIME; SITE; SPECIFIC; INFORMATION; REMOTE; RECEIVE; DEVICE; THROUGH; DISTRIBUTE; NETWORK

Derwent Class: T01; W05

International Patent Class (Main): G06F-169/00

File Segment: EPI

14/5/22 (Item 13 from file: 350)

DIALOG(R) File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

014403374 \*\*Image available\*\*

WPI Acc No: 2002-224077/200228

Related WPI Acc No: 2001-580024

XRPX Acc No: N02-171546

**Real time weather data display method involves generating three dimensional model of weather event by combining meteorological data with graphical representation of affected geographical area**

Patent Assignee: BARON SERVICES INC (BARO-N)

Inventor: BARON R O; DAVIS B P; PHILLIPS R J; THOMPSON T S; WILSON G S

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 6266063	B1	20010724	US 9762588	P	19971020	200228 B
			US 98174213	A	19981016	

Priority Applications (No Type Date): US 9762588 P 19971020; US 98174213 A 19981016

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

US 6266063 B1 10 G06F-015/00 Provisional application US 9762588

Abstract (Basic): US 6266063 B1

NOVELTY - Subsets of **weather** data over a period of time is received and processed to generate meteorological data. The meteorological data is associated with graphical representation of affected geographical area to create the three dimensional model. The model is displayed as real time representation.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for graphical real time **weather** data displaying system.

USE - In television **weather** broadcasting.

ADVANTAGE - By combining meteorological data with graphical data to form a 3D representation, the observer will be able to visualize the meteorological information in 3D. Broadcasters will be able to not only tell about **weather** activity, they will be able to **show** viewers **giving** them a tour of the **weather activity** in real **time**.

DESCRIPTION OF DRAWING(S) - The figure shows the 3D graphical display prepared utilizing real time, 3D **weather** display method.

pp; 10 DwgNo 4/4

Title Terms: REAL; TIME; **WEATHER** ; DATA; DISPLAY; METHOD; GENERATE; THREE; DIMENSION; MODEL; **WEATHER** ; EVENT; COMBINATION; METEOROLOGICAL; DATA; GRAPHICAL; REPRESENT; AFFECT; GEOGRAPHICAL; AREA

Derwent Class: T01; W03

International Patent Class (Main): G06F-015/00  
File Segment: EPI

14/5/24 (Item 15 from file: 350)  
DIALOG(R) File 350:Derwent WPIX  
(c) 2003 Thomson Derwent. All rts. reserv.

014383725 \*\*Image available\*\*  
WPI Acc No: 2002-204428/200226  
XRPX Acc No: N02-155469

**Internet based traffic conditions prediction method involves producing adjusted route velocity by applying function having predicted weather conditions as parameter to nominal route velocity**

Patent Assignee: TRAFFICCAST.COM INC (TRAF-N); RAN B (RANB-I)

Inventor: RAN B

Number of Countries: 094 Number of Patents: 004

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 6317686	B1	20011113	US 2000621063	A	20000721	200226 B
WO 200208922	A1	20020131	WO 2001US22197	A	20010713	200226
AU 200176917	A	20020205	AU 200176917	A	20010713	200236
GB 2381355	A	20030430	WO 2001US22197	A	20010713	200331
			GB 2003932	A	20030115	

Priority Applications (No Type Date): US 2000621063 A 20000721

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
-----------	------	-----	----	----------	--------------

US 6317686	B1		29	G01W-001/00	
------------	----	--	----	-------------	--

WO 200208922	A1	E		G06F-015/00	
--------------	----	---	--	-------------	--

Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA  
CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP  
KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT  
RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR  
IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW

AU 200176917	A			G06F-015/00	Based on patent WO 200208922
--------------	---	--	--	-------------	------------------------------

GB 2381355	A			G06F-017/60	Based on patent WO 200208922
------------	---	--	--	-------------	------------------------------

Abstract (Basic): US 6317686 B1

NOVELTY - A **weather** prediction region which contains the route segment, is determined for selected route segment. Predicted **weather** conditions within the **weather** prediction region, is determined for the selected future time. An adjusted route velocity is produced for the route segment by applying a function including predicted **weather** condition as parameters to a nominal route velocity.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for predicted trip times provision method.

USE - In traveler information systems to predict traffic conditions of vehicles on route segment at future time.

ADVANTAGE - Enables predicting the speed along the route segment in the future with improved accuracy based on predicted **weather** conditions. **Provides** an estimate of **travel time** over route segments by considering the types of vehicle and type of driver who is traversing the route segments.

DESCRIPTION OF DRAWING(S) - The figure shows the system architecture of the Internet based traffic prediction system.

pp; 29 DwgNo 1/13

Title Terms: BASED; TRAFFIC; CONDITION; PREDICT; METHOD; PRODUCE; ADJUST;  
ROUTE; VELOCITY; APPLY; FUNCTION; PREDICT; **WEATHER** ; CONDITION;  
PARAMETER; NOMINAL; ROUTE; VELOCITY

Derwent Class: S03; T01

International Patent Class (Main): G01W-001/00; G06F-015/00 ; G06F-017/60

File Segment: EPI

14/5/31 (Item 22 from file: 350)



DIALOG(R) File 350:Derwent WPIX  
(c) 2003 Thomson Derwent. All rts. reserv.

013586282    \*\*Image available\*\*  
WPI Acc No: 2001-070489/200108  
XRPX Acc No: N01-053369

**Electronic event outcome prediction information providing method in internet, involves crediting account of specific supplier, whose prediction for specific upcoming event is displayed once to specific customer**

Patent Assignee: PREDICT IT CORP (PRED-N)  
Inventor: COURTS T C  
Number of Countries: 090    Number of Patents: 003  
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
WO 200052628	A1	20000908	WO 2000US5475	A	20000302	200108    B
AU 200036148	A	20000921	AU 200036148	A	20000302	200108
US 6260019	B1	20010710	US 99263206	A	19990305	200141

Priority Applications (No Type Date): US 99263206 A 19990305

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
-----------	------	-----	----	----------	--------------

WO 200052628	A1	E	65	G06F-155/00	
--------------	----	---	----	-------------	--

Designated States (National): AE AL AM AT AU AZ BA BB BG BR BY CA CH CN  
CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP  
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE  
SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR  
IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW

AU 200036148	A		G06F-155/00	Based on patent WO 200052628
--------------	---	--	-------------	------------------------------

US 6260019	B1		G06F-015/00	
------------	----	--	-------------	--

Abstract (Basic): WO 200052628 A1

NOVELTY - A specific supplier's prediction (202) for specific upcoming event is displayed to specific customer, based on reception request from the customer. Then, it is determined whether the prediction of specific supplier is already displayed to the specific customer. Then, account of specific supplier, whose prediction for specific upcoming event is **displayed** to specific customer for the first time is credited.

DETAILED DESCRIPTION - Initially, the prediction of supplier for the event whose outcome is not yet determined, is received and stored. The performance metric indicating the accuracy of prediction is determined, after determining the outcome of the event. Then, the determined performance metric and the specific supplier's prediction for specific upcoming event are displayed to the specific customer, sequentially. INDEPENDENT CLAIMS are also included for the following:

- (a) method of obtaining prediction information over internet;
- (b) computer used for providing electronic prediction information display;
- (c) computer readable program for providing electronic prediction display

USE - For providing electronic advertising display of prediction information over internet, e.g. for college basket ball, professional basket ball, college football, professional hockey, professional football and in non-team sports such as boxing, tennis, finger skating, golf. For predicting levels of event categories such as individual stocks, bonds, commodities, currency and other securities, mutual funds, treasury yields, oil futures, currency exchange rates over various time periods in financial field. For predicting **temperature**, **snow** fall, **rain**, etc., in various locations over different time periods for predicting entertainments e.g. for predicting winners of Oscar, grammy, Emmy and Tony awards, etc., and also for predicting election results, outcomes of registration. etc.

ADVANTAGE - Payment to a particular supplier can be made periodically and reliably. Enables recognizing non-cash payment such as merchandise credits, frequent flier miles, quickly by providing corresponding facilitator.

\* DESCRIPTION OF DRAWING(S) - The figure shows the top analysts display page.  
 Supplier's prediction (202)  
 pp; 65 DwgNo 7/24  
 Title Terms: ELECTRONIC; EVENT; PREDICT; INFORMATION; METHOD; ACCOUNT; SPECIFIC; SUPPLY; PREDICT; SPECIFIC; EVENT; DISPLAY; SPECIFIC; CUSTOMER  
 Derwent Class: P36; T01  
 International Patent Class (Main): G06F-015/00 ; G06F-155/00  
 International Patent Class (Additional): A63F-009/22; G06F-015/44  
 File Segment: EPI; EngPI

14/5/35 (Item 26 from file: 350)  
 DIALOG(R)File 350:Derwent WPIX  
 (c) 2003 Thomson Derwent. All rts. reserv.

012506401 \*\*Image available\*\*  
 WPI Acc No: 1999-312506/199926  
 XRPX Acc No: N99-233398

**Gaming method for conducting game of chance in conjunction with regular sporting events e.g. football**

Patent Assignee: SUPRA ENG LTD (SUPR-N)  
 Inventor: KAIL G  
 Number of Countries: 083 Number of Patents: 009  
 Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
WO 9919841	A2	19990422	WO 98EP6491	A	19981013	199926 B
AU 9919614	A	19990503	AU 9919614	A	19981013	199937
CA 2233140	A1	19990414	CA 2233140	A	19980416	199939
US 6015345	A	20000118	US 97950243	A	19971014	200011
			US 9820128	A	19980206	
EP 1023699	A2	20000802	EP 98964391	A	19981013	200038
			WO 98EP6491	A	19981013	
US 6102797	A	20000815	US 97950243	A	19971014	200041
			US 9820128	A	19980206	
BR 9815095	A	20011226	BR 9815095	A	19981013	200206
			WO 98EP6491	A	19981013	
CA 2233140	C	20020212	CA 2233140	A	19980416	200221
MX 2000003603	A1	20020401	WO 98EP6491	A	19981013	200363
			MX 20003603	A	20000413	

Priority Applications (No Type Date): US 9820128 A 19980206; US 97950243 A 19971014

**Patent Details:**

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 9919841	A2	E	86	G07C-015/00	
Designated States (National): AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US VZ VN YU ZW					
Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG ZW					
AU 9919614	A				Based on patent WO 9919841
CA 2233140	A1	E		A63F-003/06	
US 6015345	A			G06F-015/00	CIP of application US 97950243
EP 1023699	A2	E		G07C-015/00	Based on patent WO 9919841
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE					
US 6102797	A			G06F-015/00	CIP of application US 9820128 CIP of patent US 6015345
BR 9815095	A			G07C-015/00	Based on patent WO 9919841
CA 2233140	C	E		A63F-003/06	
MX 2000003603	A1			A63F-003/06	Based on patent WO 9919841

**Abstract (Basic): WO 9919841 A2**

NOVELTY - A number of sporting events e.g. baseball or football games are identified for play by participants during a given period of time , i.e. on a weekly basis. The winning series of numbers is

determined after the identified games have been played to competition, including any extra time, or extra innings etc. The final value of each team's scoring in the identified set is combined to provide a total numerical value.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for; an apparatus for conducting games of chance in conjunction with a number of sporting events.

USE - Conducting games of chance in which large numbers of participants each pay a fee and select series of numbers in a prescribed range, with the winner being the participants whose numbers correspond to a series of randomly derived numbers.

ADVANTAGE - Scores of one or more alternative like sporting events can be substituted in cases of events not being completed e.g. due to inclement **weather**.

DESCRIPTION OF DRAWING(S) - The drawing shows a flow chart depicting the steps of the invention.

pp; 86 DwgNo 1/31

Title Terms: GAME; METHOD; CONDUCTING; GAME; CHANCE; CONJUNCTION; REGULAR; SPORTS; EVENT; FOOTBALL

Derwent Class: P36; T01; T05

International Patent Class (Main): A63F-003/06; **G06F-015/00** ; G07C-015/00

International Patent Class (Additional): A63F-009/22; **G06F-017/60**

File Segment: EPI; EngPI